



HILFE

Medical equipment & furnitures

- Modern elegant design ■
- Powder coating ■
- Resistance to chemical agents ■
- Easy in the routine maintenance ■
- Height-adjustable supports ■
- Quality management programs certified to ISO 9001 ■

MD 1 1650/SS
MD 1 1650/SG

MD 1 1657/SS
MD 1 1657/SG

MD 1 1760/SS
MD 1 1760/SG



SINGLE CABINETS / MD 1 SERIES

- Made of Steel
- Color: White (RAL 9016), Type of Coating: hygienically safe, corrosion-Resistant powder
- Lockable doors (Except for Glass doors(SG))
- 4 Metal shelves, in cabinet with glass (SG) - 2 metal, 2 glass shelves
- The maximum load on a metal shelf - 30 kg on glass shelf: 10 kg
- Mounted on adjustable supports (height 100 mm, adjustment range: 95-125 mm)
- Supplied unassembled.



Options:
trasera installtion.

MD 1 1650

	MD1 1650 (SS/SG)	MD1 1657 (SS/SG)	MD1 1760 (SS/SG)
Height, mm	1655	1655	1750
Width, mm	500	570	600
Depth, mm	320	320	400
Weight, kg	24/27	27/29	33/35

MD 2 1670/SS
MD 2 1670/SG

MD 2 1780/SS
MD 2 1780/SG



DOUBLE SIDE CABINET / MD 2 SERIES

- Made of Steel
- Color: white (RAL 9016), type of coating: hygienically safety, resistant powder against corrosion
- Lockable doors(Excepts for glass door(SG))
- 4 metal shelves, in cabinet with glass (SG)-2 metal, 2 glass shelves
- The maximum load on a metal shelf - 30 kg on glass shelf: 10 kg
- Mounted on adjustable supports (height 100 mm, adjustment range: 95-125 mm)
- Supplied unassembled.

Options:
trasera
installtion.



MD 1 1650



MD 2 1670

	MD2 1670 (SS/SG)	MD 2 1780 (SS/SG)
Height, mm	1655	1750
Width, mm	700	800
Depth, mm	320	400
Weight, kg	32/35	41/45



- The lock is made of Steel.
Model Treiser **MD 1 1650** can be installed in any Cabinet Series - MD (In cabinets with glass SG, only in lower compartment).
- The Treiser **MD 2 1670** can only be installed in cabinets MD 2 1670/SS(SG*), and MD 2 1780/SS(SG*)

SINGLE CABINETS WITH FRAME / MD 1 SERIES

- Made of Steel
- Color: White (RAL 9016), Type of Coating: hygienically safe, corrosion-Resistant powder.
- Lockable doors.
- In the upper compartment doors – glass metal framed 60mm and two adjustable metal shelves.
- In the lower compartment doors- lockable metal doors, with one shelf and movable telescopic drawers.
- The maximum load on a metal shelf - 30 kg.
- Mounted on adjustable supports (height 100 mm, adjustment range: 95-125 mm).
- Supplied unassembled



Options:
trasera installtion.

MD 1 1650

MD1 1760R / MD1 1760R-1

Height, mm	1750
Width, mm	600
Depth, mm	400
Weight, kg	35

MD 1 1760R

MD 1 1760R-1



DOUBLE SIDE CABINET WITH FRAME / MD 2 SERIES

- Made of Steel
- Color: white (RAL 9016), type of coating: hygienically safety, resistant powder against corrosion.
- Lockable doors.
- In the upper compartment doors – glass metal framed 60mm and two adjustable metal shelves.
- The maximum load on a metal shelf - 30 kg.
- Mounted on adjustable supports (height 100 mm, adjustment range: 95-125 mm)
- Supplied unassembled.

MD2 1780R / MD2 1780R-2 / MD2 1780R-5

Height, mm	1750
Width, mm	800
Depth, mm	400
Weight, kg	45

MD 2 1780R

MD 2 1780R-2

MD 2 1780R-5



In the Lower compartments
MD 2 1780R has two lockable metal doors with two shelves.

In the lower compartments of the
MD 2 1780R-2 has one lockable metal door with one shelf and two movable telescopic drawers.

In the lower compartments of
MD 2 1780R-5 has a lockable metal door with two shelves and five movable telescopic drawers.

The lock is made of Steel. ■
Model Treiser **MD 1 1650** can be installed in any Cabinet Series - MD (In cabinets with glass SG, only in lower compartment).

The Treiser **MD 2 1670** can only be installed in cabinets ■
MD 2 1670/SS(SG*), and MD 2 1780/SS(SG*)



MD 11-50



HOUSEHOLD CABINETS (LOCKER) / MD 1 SERIES

- Made of Steel
- Accessories: vertical partition (vertical shelf), 3 shelves for householder tools, mop holder, hooks for rags (clothes), crossbar for hangers
- Assembling method: Screws
- Color: White (RAL 9016): type of coating: hygienically safety, resistant powder against corrosion.
- Supplied unassembled
- In scope of delivery includes 4 adjustable supports (height 100mm, adjustable: 95-125mm).



Options:
Complete lock PL
(keyless locking device for padlock)

	MD 11-50
Height, mm	1830
Width, mm	500
Depth, mm	500
Weight, kg	26

MD 21-50



SHELVES FOR CLOTHES / MD SERIES

- Made of Steel.
- Accessories: two compartments, Shelves, crossbar for hangers with two hooks.
- Assembly method: Screws free.
- Color: white (RAL 9016), type of coating: hygienically safety, resistant powder against corrosion.
- Supplied unassembled
- In scope of delivery includes 4 adjustable supports (height 100mm, adjustable: 95-125mm).



Options:
Complete lock PL
(keyless locking device for padlock)

	MD 21-50
Height, mm	1830
Width, mm	575
Depth, mm	500
Weight, kg	29

AMD-39

AMD-39 G (with glass door)



MEDICAL FIRST AID KIT / AMD SERIES

- Made of Steel, the inner compartments are divided into four sections.
- Accessories: equipped with a key lock „Practik“
- Color: white (RAL 9016), type of coating: hygienically safety, resistant powder against corrosion.

	AMD-39 (SS/SG)
Height, mm	390
Width, mm	300
Depth, mm	160
Weight, kg	3

MOVEABLE MEDICAL CURBSTONE (PEDESTAL) / MD TP SERIES

BFC-70/3 (TP 1)

BA4-65/3 (TP 2)

BFC-66/3 (TP 3)

- Made of Steel
- Color: White (RAL 9016); type of coating: hygienically safety,
- Resistant powder against corrosion.
- Equipped with 50mm wheels, and two front fitted with a brake;
- Load per shelf and drawer- 15kg;
- Supplied unassembled.
- Options: Fitting key lock

Height, mm	710
Width, mm	420
Depth, mm	490
Weight, kg	14



The upper compartment of Model **BFC-70/3 (TP 1)** has retractable Drawer with telescopic guides/slides, middle compartment with a door, in Bottom compartment – like ours.

The upper compartment of **BA4-65/3 (TP 2)** has retractable Drawer with telescopic guides/slides, in bottom compartment with a door and shelf.

The upper compartment of Model **BFC-66/3 (TP 3)** the bottom compartment Of ours is with door and shelf.


COUCH MEDICAL OBSERVATION / MD KC SERIES

MD KC

- FRAME- square tube steel of diameter: 25 x 25 x 1.5mm.
- Color: White (RAL 9016); Coating: Polymeric powder.
- The lounger is made of chipboard 16mm and 20mm foam.
- The head section is adjustable angle of inclination stepwise mechanism Rostomat.
- Upholstery: Artificial leather, semi-soft, bright color, resistant to abrasion and disinfectants substances.
- Supplied unassembled.
- Packing Dimensions MM: (L x W x D): 2010 x 720 x 110



	MD KC
Length, mm	1930
Width, mm	670
Height, mm	560/520*
Tilt Angle of the Head Restraint	0-45°
Load, kg	180
Weight, kg	32



Headrest adjustable speed


MD SP 2N

MD SP 2G

MD SP 3N



Stainless steel
diameter 0.8 mm



Glass with
diameter 5mm

MEDICAL PROCEDURAL TABLES / MD SP SERIES

- Designed to placement instruments, dosage drugs and devices.
- The table frame is made of square shaped tube section 20 x 20x 1.5mm.
- The shelves are made from stainless steel 0.8mm or glass 5mm.
- The table surface is resistant to shock, however the chips, tools disinfection treatment by wiping method.
- The procedural table has four plastic wheels of diameter = 50mm, two of which have brakes.
- The shelf load - not more than 10 kg.
- Supplied unassembled.

MD SP 2N / MD SP 2G / MD SP 3N

Height, mm	940
Width, mm	600
Depth, mm	470
Weight, kg	18 / 19 / 20

MD SM1

MD SM1

MD SM1

MEDICAL MANIPULATION TABLES / MD SM SERIES

- Designed to placement of instrument, dosage drugs and devices
- The table frame is made of square shaped tube section 20 x 20x 1.5mm.
- The shelves are made from stainless steel 0.8mm.
- The table surface is resistant to shock, however the chips, tools disinfection treatment by wiping method.
- The procedural table has four plastic wheels of diameter = 50mm, two of which have brakes.
- The shelf load - not more than 10 kg.
- The load on the drawer - 15 kg
- Supplied unassembled.



Stainless steel
diameter 0.8 mm



Telescopic
slides drawer

MD SM1 / MD SM2 / MD SM6

Height, mm	940
Width, mm	600
Depth, mm	470
Weight, kg	18 / 24 / 29

The Solution to the problems of Storage of Narcotic drugs, psychotropic substances and drugs from unauthorized access to Medical institutions.

- Burglary Resistant GOST R 50862-2012 (International Standard).
- Patented multi- layer protection wall and with reinforced 3 sided latch-locking system.
- Protection of the lock and latch against drilling and knocking with latch locking system.
- Sealing devices
- Opening counter
- Components:
 - Components KL** - 2 Key Lock KABA MAUER (3 keys included);
 - Components EL** - Digital Lock PS 600(PROMET) + Key Lock KABA MAUER;
- COLOR: White structured; Coating: enamel;
- It has access of anchoring to the floor. Anchor bolt in the kit.

- The Working chamber is made of stainless steel and has a door with lock.
- The Source thermal exposure – semiconductor thermoelectric module.
- Temperature control of the chamber is achieved by the proportional changes in the intensity of the air flow generated at the same time providing a digital indication of the value of the set point and reached the temperature, in increments of 0.1°C.
- The setting range of operational temperature: +5....+Up to the room temperature °C
- The accuracy of temperature in the working chamber: +1°C
- The Factory setting temperature in the Chamber: +12,0°C.
- There is the possibility of periodic removal of condensate from the volume of the working chamber.

ELECTRIC CIRCUIT REALIZES ADDITIONAL FEATURES SYSTEM:

1. The inclusion of camera lighting and emergency alarm Sound when opening its doors.
2. Activation of the emergency alarm sound When there is no power supply.
3. The output of the two pairs dries Contacts when an alarm triggered.
4. The communication interface in the network RS-485.
5. Options on request: Wi-Fi module for remote control monitoring.

BENEFITS OF USE:

- Safely possession of drugs at the desired temperature in the safe, and safe grade 1,3 and 4 is Burglary Resistant.
- The simultaneous and separate storage of narcotic drugs, psychotropic substances and their precursors for domestic, parenteral and outdoor applications in the thermostats –safes TS-4/12, in the modification of TS-3/25- Fort M 1385.3 and modification TS-4/25- Fort M 1385.4.
- Low sound level.
- Possibility of the storage temperature records for the RS-485 or other data transmission medium.

TS - 3/12 model Karat 30

/3 grade

For the organization of the temporary storage positions for nurses.



TS - 3/12 /3 grade

Rooms for 3rd and 4th categories.



TS - 3/25 model Fort 1385.3

/3 grade

Rooms for 3rd and 4th categories.



TS - 4/12 /4 grade

Rooms for 1 and 2 categories



Model	Grade of protection against hacking	Total Storage capacity L	Total working Chamber. L/units	External dimensions. MM			Components				Weight Kg
				H	W	D	KL (Key lock)	EL (Digital lock)	N0 of Shelves	N0 of Latches	
TS - 3/12 model Karat 30	1	8	8	410	440	380	1 lock	option	-	4	74
TS - 3/12	3	12	12/1	680	510	510	1 lock	option	No Shelves	7	133
TS - 3/25	3	25	25/1	850	510	510	2 locks	option	1	8	155
TS - 4/25	4	25	25/1	850	510	510	2 locks	option	1	8	300
TS - 4/12 (with Tresare)	4	35	12/1 (23/1)	850	510	510	2 locks	option	No Shelves	8	225
TS - 3/25 model Fort M 1385.3	3	150	25/2	1500	850	510	1 lock	option	1/2	12	700
TS - 4/25 model Fort M 1385.4	4	150	25/2	1500	850	510	2 замка	опция	1/2	12	750